

BLANK PAGE



Indian Standard METHOD FOR SENSORY EVALUATION OF TABLE BUTTER

UDC 637.225:543.92



@ Copyright 1975

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

December 1975

Indian Standard

METHOD FOR SENSORY EVALUATION OF TABLE BUTTER

Sensory Evaluation Sectional Committee, AFDC 38

Chairman

Representing

SHRI M. R. SRINIVASAN

National Dairy Research Institute (ICAR), Karnal

Members

AGRICULTURAL MARKETING ADVISER TO THE GOVERNMENT

Directorate of Marketing & Inspection (Ministry of Agriculture & Irrigation), Faridabad

SHRI T. V. MATHEW (Alternate)

SHRI D. S. CHADHA

Central Committee for Food Standards (DGHS),

DR J. D. CONTRACTOR

The Coca-Cola Export Corporation, New Delhi

SHRI P. C. VIN (Alternate)

Naarden (India) Limited, Bombay

KUMARI I. F. COOPER

SHRI S. B. SULE (Alternate)

DR G. I. D'SOUZA Coffee Board, Bangalore

SHRI A. V. R. MENON (Alternate) Shri V. S. Govindarajan

Central Food Technological Research Institute (CSIR), Mysore

DR K. G. RAGHUVEER (Alternate)

DR M. K. K. IYENGAR Dr B. K. Jha

Food Specialities Limited, Moga McDowell & Co Ltd, Shertally

SHRI K. S. KRISHNAN

Statistics Institute of Agricultural Research (ICAR), New Delhi

SHRI K. C. RAUT (Alternate) SHRI A. MADHAVA RAO

Bush Boake Allen (India) Limited, Madras

SHRI K. S. SUBRAMANIYAM (Alternate) SHRI T. K. D. MENON

Tea Board, Calcutta

DR M. K. NAGARAJAN

Hindustan Lever Limited, Bombay

SHRI K. S. JANARDHANAN (Alternate) DR A. G. NAIK KURADE

Suman Food Consultants, New Delhi

SHRIK, M. NAIR SHRI K. NAGARAJ (Alternate) A. Boake Roberts & Co (India) Ltd, Madras

SHRI S. N. PANDEY

All India Distillers' Association, New Delhi

SHRI B. L. KHANNA (Alternate) KUMARI THANGAM E. PHILIP

Institute of Catering Technology and Applied Nutrition, Bombay

SMT E. SUNDERAJAN (Alternate)

(Continued on page 2)

@ Copyright 1975

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS: 7769 - 1975

(Continued from page 1)

Members

Representing

SMT USHA RAINA

Lady Irwin College, New Delhi

DR (KUMARI) BINA POPLANI

(Alternate)

SHRI M. V. RAMA RAO Defence Food Research Laboratory, Mysore

SHRI H. UMESH RAO (Alternate)

SHRI C. K. RAMNATH Brooke Bond India Limited, Bangalore

COL K. SEETABAM Quartermaster General's Branch, Army Headquarters, New Delhi

LT-COL G. L. LUTHRA (Alternate)

Shri N. D. Subba Rao United Breweries, Bangalore

SHRI T. PURNANANDAM, Director General, ISI (Ex-officio Member)

Deputy Director (Agri & Food)

Secretary

SHRI SOHRAB
Deputy Director (Agri & Food), ISI

Dairy Products Subcommittee, AFDC 38:2

Convener

SHRI B. M. L. GARG

Punjab Dairy Development Corporation, Chandigarh

Members

AGRICULTURAL MARKETING
ADVISER TO THE GOVERNMENT
OF INDIA

Directorate of Marketing & Inspection (Ministry of Agriculture & Irrigation), Faridabad

DIRECTOR OF LABORATORIES (Alternate)

SHRI CHUNNI LAL

SHRI CHUNNI LAL SHRI K. S. GUNNERY DR M. K. K. IYENGAR SHRI C. E. OBED

Delhi Milk Scheme, New Delhi Food Specialities Limited, Moga Kaira District Co-operative Milk Producers Union

All India Vyapar Sangh, New Delhi

DRI. M. PATEL

Limited, Anand Gujarat Co-operative Milk Marketing Federation,

Anand

SHRI M. M. SOBTI Haryana Dairy Development Corporation Limited, Chandigarh

SHRI R. K. CHHABRA (Alternate)

SHRI M. R. SRINIVASAN National Dairy Research Institute (ICAR), Karnal

Indian Standard

METHOD FOR SENSORY EVALUATION OF TABLE BUTTER

0. FOREWORD

- **0.1** This Indian Standard was adopted by the Indian Standards Institution on 29 August 1975, after the draft finalized by the Sensory Evaluation Sectional Committee had been approved by the Agricultural and Food Products Division Council.
- 0.2 Butter is generally sold as either table butter or cooking butter. The quality of table butter is judged on the basis of its sensory characteristics. The main characteristics which are looked for by the consumers are colour, taste, body, aroma, texture and moisture. In this standard an attempt has been made to prescribe a practicable method for sensory evaluation of butter and to lay down conditions of testing in order to unify practices prevalent in various dairies in the country. It is expected that this method will help in training the personnel and in establishing more uniform criteria for sensory evaluation of butter by consumers as well as manufacturers in achieving uniformity in the method of testing butter thereby facilitating interpretation and comparison of results.
- 0.3 This standard is complimentary to IS: 3507-1966*.

1. SCOPE

1.1 This standard prescribes conditions, technique, method and evaluation card for sensory evaluation of table butter.

2. TERMINOLOGY

- 2.1 For the purpose of this standard, the following definitions in addition to those given in IS: 5126 (Part I)-1969† and IS: 5126 (Part II)-1969‡, shall apply.
- 2.1.1 Crumbly Lack of formation of neat slabs and not responding satisfactorily to knife or wire.

^{*}Methods of sampling and test for butter.

[†]Glossary of general terms for sensory evaluation of foods: Part I Methodology.

[‡]Glossary of general terms for sensory evaluation of foods: Part II Quality characteristics.

IS: 7769-1975

- 2.1.2 Dull Associated with high moisture and over working.
- 2.1.3 Flat Absence of characteristic delicate flavour often associated with balanced combination of volatile flavouring constituents like dieacetyl, etc. It is a negative attribute and should not be confused with objectionable flavour.
- 2.1.4 Greasy Associated with excessively soft condition of butter grains.
- 2.1.5 Leaky Evidenced by large amount of moisture on the plug when butter is removed from a block by a trier.
- 2.1.6 Mottled and Wavy Uneveness of colour in butter indicated in the form of streaks, waves and mottles. In case of mottles, sample has spots of higher or deeper shades of yellow throughout the body.
- 2.1.7 Mouldy Presence of black, green, white or even bluish spots. This is a very objectionable defect.
- 2.1.8 Neutralizer When high acid milk is neutralized with sodium carbonate group of neutralizers, milk develops flavour reminiscent of soap.
- 2.1.9 Oily Refers to flavour resembling machine oil. Very often it is associated with the development of other objectionable flavours, such as metallic.
- 2.1.10 Stale The flavour defect associated with old stored raw materials, namely, cream. Good aeration improves this characteristic.
- **2.1.11** Tallowy Flavour similar to mutton tallow caused due to oxidation of unsaturated glycerides of butter.
- 2.1.12 White Specks Due to incorporation of small pieces of coagulated case in in butter.

3. GENERAL CONDITIONS

3.1 The conditions for sensory evaluation of butter shall be as given in IS: 6273 (Part I)-1971*.

4. PANELISTS

4.1 Selection — Persons with normal sensitivity for taste and odour should be selected. They should have ability to detect small differences between paired samples and to distinguish and discriminate between butter samples with minor flavour, colour or textural differences.

^{*}Guide for sensory evaluation of foods: Part I Optimum requirements.

They should be able to recognize the primary stimuli like sweet, sour, salty and bitter. Selection among the available panelists should be based on their significant capacity to distinguish quality variations and other attributes. Those who dislike butter or any other milk products should be excluded from the panel.

Note — A separate detailed Indian Standard covering all aspects of panel selection is under preparation.

4.2 Training

- **4.2.1** Preparation of Butter Samples for Training A control sample of fresh butter (prepared under standard condition either from unripened or ripened cream) representing desirable characteristics like flavour, texture and colour should be served along with the samples having following defects:
 - a) Flat Convert fresh pasteurized cream into butter and wash excessively.
 - b) Stale Store in a closed container at 10°C and below for 72 hours.
 - c) Neutralizer Prepare butter from cream having more than 2 percent lactic acidity neutralized to zero percent acidity and pasteurized at 70°C and above for 30 minutes.
 - d) Oily Take butter from reseparated cream and pasteurized at 70°C for more than 30 minutes.
 - e) Tallowy Prepare by exposing butter as obtained in (d) to sunlight for 3 hours or more. This may be accelerated by incorporating 0.5 to 1 ppm of chlorides of iron or copper before exposure to sunlight.
 - f) Leaky Overwork (4 to 5 times) butter from neutralized cream at 60°C.
 - g) Greasy Same as leaky.
 - 4.2.2 Procedure for Training The panelists should be familiarized with all the desirable characteristics of fresh butter. They should be trained to distinguish between 0.5 to 2 ppm of diacetyl in aqueous solutions. They should also be trained to distinguish samples with common defects, such as flat, oxidized, rancid, mouldy flavours; mottled colour; greasy, leaky and oily texture; and presence of foreign matter. Panelists should also be familiarized with common adulterants of butter.
 - **4.2.2.1** A series of 20 judgements should be obtained from each prospective panelist utilizing a pair of samples with known differences. To compensate for the known variations from day to day a qualifying test is given for a 3-day period. Those who make an acceptable (75 percent correct) score should be chosen.

IS: 7769 - 1975

- 4.3 The panelists should be checked once in three months for their consistency and acuity.
- **4.4 Number of Panelists** Five to seven panelists should be employed in the evaluation to arrive at consistent and statistically valid results. At least 10 judgements should be taken.

5. SAMPLING, PREPARATION AND PRESENTATION

- **5.1 Sampling** A representative sample should be drawn from the lot (see IS: 3507-1966*). Precautions should be taken to avoid an extraneous contamination in drawing, handling and presentation of samples.
- **5.2 Preparation of Samples** Butter samples should be presented in cubes wrapped in butter paper for evaluation. It may be cut in small slices to see any impurities and curdled portions.
- 5.3 Amount for Each Sample A sample of about 25 grams should be sufficient.
- 5.4 Number of Samples The number of samples in one session should not exceed five.
- 5.5 Coding Coding of the samples should be done as recommended in 7 of IS: 6273 (Part I)-1971†.

6. PROCEDURE

- **6.1 Technique of Testing**—The samples should be examined for colour, appearance and finish first followed by judging moisture, body and texture. Flavour should be evaluated last.
- 6.2 Method Follow composite scoring method as given in 4.2.8 of IS: 6273 (Part II)-1971;.
- **6.3 Evaluation Card** Use the evaluation card as given in Table 1 for recording observations of the panelists. Calculate the final score by deducting score under Section 'B' from score under Section 'A'.
- **6.4 Grading** After computations of data recorded in Table 1 by the panelist the following gradation should be specified:

Quality	Score	Grade
Excellent	90 or above	Α
Good	80-89	В
Fair	60-79	\mathbf{C}
Poor	59 and below	\mathbf{D}

^{*}Methods of sampling and test for butter.

[†]Guide for sensory evaluation of foods: Part I Optimum requirements.

[‡]Guide for sensory evaluation of foods: Part II Methods and evaluation cards.

TABLE 1 EVALUATION CARD FOR BUTTER

(Clause 6.3)

Name	Date
Batch or Code No	Time

A. Assign score for each sample for different characteristics. First go through Section B.

CHARACTERISTICS	Maximum	Score	SAMPLE SCORE
i) Flavour	50		
ii) Body and texture	30		
iii) Colour and appearance	15		
iv) Package finish	5		

B. Indicate, if any, the degree of defects such as the following. Encircle the one applicable and deduct from the appropriate attribute.

CHARACTERISTICS	DEFECT	DEGREE OF DEFECTS		
		Suspicion	Slight	Pronounced
i) Flavour	Rancid Tallowy Neutralizer Others	5 5 1 1	7 7 3 3	15 15 5 5
ii) Body and texture	Leaky Greasy Oily Crumbly	3 1 1 1	5 3 3 3	10 10 10 10
iii) Colour, appearance and finish	Mottled and wavy Mouldy Dull White specks	2 3 1 1	4 5 4 2	6 7 6 4

7. STATISTICAL EVALUATION OF RESULTS

7.1 For the purpose of statistical evaluation one of the methods mentioned under 4.2.8 of IS: 6273 (Part II)-1971* should be adopted.

^{*}Guide for sensory evaluation of foods: Part II Methods and evaluation cards.

INDIAN STANDARDS ON

SENSORY EVALUATION

IS:

- 5126 (Part I)-1969 Glossary of general terms for sensory evaluation of foods: Part I Methodology
- 5126 (Part II)-1969 Glossary of general terms for sensory evaluation of foods: Part II Quality characteristics
- 6273 (Part I)-1971 Guide for sensory evaluation of foods: Part I Optimum requirements
- 6273 (Part II)-1971 Guide for sensory evaluation of foods: Part II Methods and evaluation cards
- 7675-1975 Method for sensory evaluation of beer
- 7769-1975 Method for sensory evaluation of table butter
- 7770-1975 Method for sensory evaluation of GHEE (clarified butterfat)

PUBLICATIONS OF INDIAN STANDARDS INSTITUTION INDIAN STANDARDS

Over 8 000 Indian Standards covering various subjects have been Issued so far. Of these, the standards belonging to the Agricultural and Food Products Group fall under the following categories:

Abattoir Agricultural machinery and tractors Alcoholic drinks Animal feeds Animal housing and equipment Bakery and confectionery Bee-keeping equipment Beverages Cereals, pulses and their products Cocoa products Coffee and its products Dairy equipment Dairy industry, layout plans Dairy industry, methods of test Dairy laboratory apparatus Dairy products Edible starch and starchy products Fish and fishery products Fish Industry, sanitary conditions

Food additives Foodgrain handling and storage Fruits and vegetables Honey and by-products Infant foods Laboratory animals Meat and meat products Pest control equipment Pesticidal formulations Pesticides, technical grade and general Propagation materials Regulated market yards Sensory evaluation Spices and condiments Starch derived products Sugars and by-products Tea Tobacco products Transport of live animals

OTHER PUBLICATIONS

ISI Bulletin (Published Every	(Month)				
Single Copy			***	B	Rs 4-00
Annual Subscription		***		1000	Rs 36-00
Standards: Monthly Addition	18				
Single Copy		7	-	***	Re 0:30
Annual Subscription			***		Rs 3.00
Annual Reports (from 1948	49 Onwards)			Rs	2.00 to 6.00
ISI Handbook, 1975		***		100	Rs 30.00
Annual Reports (from 1948	49 Onwards)			Rs	2.00 to 6.00

INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg. NEW DELHI 110002

Telephone: 27 01 31	(20 lines)	Telegrams: Manaksanstha
Pagional Offices		Telephone

negional offices.	AND REAL PROPERTY.
THE PARTY OF THE P	7 97 29
Eastern: 5 Chowringhee Approach CALCUTTA 700072 23	3-08 02
	8 37 81

Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur	AHMEDABAD 380001	2 03 91
' F' Block, Unity Bldg, Narasimharaja Square	BANGALORE 560002	27649
Kothi No. 90, Sector 18A	CHANDIGARH 160018	2 83 20
6-8-56/57 Nampally Station Road	HYDERABAD 500001	4 57 11
117/418 B Sarvodaya Nagar	KANPUR 208005	82 72
B.C.I. Bldg (Third Floor), Gandhi Maidan East	PATNA 800004	2 56 55